

PLANNING AND ZONING COMMISSION AGENDA

Planning and Zoning Commission Public Hearing Tuesday, November 15, 2016

6:00 p.m.

Council Chambers, Addison Town Hall 5300 Belt Line Road, Addison, Texas

Pledge of Allegiance

- Discuss and take action regarding approval of the minutes of the October 18, 2016 Planning and Zoning Commission meeting.
- 2. <u>REPLAT/Westgrove and Airborn Lot 2R, Block A</u>. Presentation, discussion, and take action on a replat of one lot totaling 2.011 acres located generally at the southeast corner of Westgrove Drive and Sojourn Drive, represented by Mr. John Spiars.
- 3. **PUBLIC HEARING** Case 1747-SUP/Meso Maya. Public hearing, discussion, and take action on a recommendation regarding an ordinance changing the zoning on property located at 5280 Belt Line Road, which property is currently zoned LR, Local Retail, by approving a new Special Use Permit for a restaurant and a new Special Use Permit for the sale of alcoholic beverages for on-premises consumption only, represented by Mr. Robert Kirk.

NOTE: The Planning & Zoning Commission reserves the right to meet in Executive Session closed to the public at any time in the course of this meeting to discuss matters listed on the agenda, as authorized by the Texas Open Meetings Act, Texas Government Code, Chapter 551, including §551.071 (private consultation with the attorney for the City). Any decision held on such matters will be taken or conducted in Open Session

following the conclusion of the Executive Session.

Adjourn Meeting

Posted:

Laura Bell, 11/11/2016, no later than 5:00p m

THE TOWN OF ADDISON IS ACCESSIBLE TO PERSONS WITH DISABILITIES.
PLEASE CALL (972) 450-7017 AT LEAST
48 HOURS IN ADVANCE IF YOU NEED ASSISTANCE.

Planning & Zoning Commission

Meeting Date: 11/15/2016

Agenda Caption:

Discuss and take action regarding approval of the minutes of the October 18, 2016 Planning and Zoning Commission meeting.

Attachments

10-18-16 P&Z Minutes



OFFICIAL ACTIONS OF THE ADDISON PLANNING AND ZONING COMMISSION

October 18, 2016 6:00 P.M. – Council Chambers Addison Town Hall, 5300 Belt Line Road Dallas, TX 75254

Present: Jason Ennis, Stacey Griggs, Debra Morgan, Skip Robbins, Jim

Robinson, Tom Schaeffer, Randy Smith

Absent: none

Chairman Robbins called the meeting to order at 6:00pm.

1. Discuss and take action regarding approval of the minutes of the September 20, 2016 meeting.

Commissioner Griggs moved to approve the minutes of the September 20, 2016 meeting with no corrections. Commissioner Robinson seconded the motion.

Voting Aye: Ennis, Griggs, Morgan, Robbins, Robinson, Schaeffer, Smith

Voting Nay: none

Motion passed.

2. PUBLIC HEARING Case 1742-Z/Knight Renovation. Public hearing, discussion, and take action on a recommendation regarding an ordinance rezoning approximately 2.011 acres of property located at the southeast corner of Westgrove Drive and Sojourn Drive, which is currently zoned PD, Planned Development, in order to approve a new Planned Development allowing an office and warehouse building, represented by Mr. Mike Williams.

Charles Goff, Assistant Director of Development Services and Planning, presented the staff report and answered questions from the Commission.

Mr. Robert Reeves, with Robert Reeves and Associates, Inc., the property owner's zoning consultant, presented and answered questions from the Commission.

Chairman Robbins opened the meeting as a public hearing.

SPEAKERS AT THE PUBLIC HEARING:

For: none

On: Paula Nelvin, 17006 Westgrove Drive

Against: none

Chairman Robbins closed the public hearing.

Commissioner Ennis moved to recommend approval of an ordinance rezoning an approximately 2.011 acre property located at the southeast corner of Westgrove Drive and Sojourn Drive from PD (Planned Development) to a new PD (Planned Development) allowing an office and warehouse building, subject to the following condition:

 The warehouse use being approved is warehouse for the use of the approved office.

Commissioner Schaeffer seconded the motion.

Voting Aye: Ennis, Griggs, Morgan, Robbins, Robinson, Schaeffer, Smith

Voting Nay: none

Motion passed.

3. PUBLIC HEARING Case 1750-Z/Town of Addison. Public hearing, discussion, and take action on a recommendation regarding a resolution adopting a new Master Transportation Plan for the Town of Addison.

Charles Goff, Assistant Director of Development Services and Planning, presented the staff report and answered questions from the Commission.

Chairman Robbins opened the meeting as a public hearing.

SPEAKERS AT THE PUBLIC HEARING:

For: none On: none Against: none

Chairman Robbins closed the public hearing.

Commissioner Ennis moved to recommend approval of a resolution adopting the proposed Master Transportation Plan with a revision to add to the chart of proposed improvements on Page 73 a recommendation for the adoption of engineered traffic calming measures where conditions merit, particularly on certain residential collector streets or portions thereof, such as Les Lacs, Proton and Beltway.

Commissioner Robinson seconded the motion.

Commissioner Smith moved to amend the motion to approve the proposed Master Transportation Plan as presented, without revision.

Commissioner Morgan seconded the motion to amend.

Voting Aye: Griggs, Morgan, Robbins, Robinson, Smith

Voting Nay: Ennis, Schaeffer

Amendment passed.

The Commission then voted on the motion, as amended, to recommend approval of a resolution adopting the proposed Master Transportation Plan as presented, without revision.

Voting Aye: Ennis, Griggs, Morgan, Robbins, Robinson, Schaeffer, Smith

Voting Nay: none

Motion passed.

Meeting Adjourned

Planning & Zoning Commission

Meeting Date: 11/15/2016

Agenda Caption:

<u>REPLAT/Westgrove and Airborn Lot 2R, Block A</u>. Presentation, discussion, and take action on a replat of one lot totaling 2.011 acres located generally at the southeast corner of Westgrove Drive and Sojourn Drive, represented by Mr. John Spiars.


Attachments

P&Z Packet
Replat Document

1742-Z

<u>REPLAT/Westgrove and Airborn Lot 2R, Block A</u>. Presentation, discussion, and take action on a replat of one lot totaling 2.011 acres located generally at the southeast corner of Westgrove Drive and Sojourn Drive.

LOCATION MAP





November 11, 2016

STAFF REPORT

RE: REPLAT/ Westgrove and Airborn

LOCATION: one lot totaling 2.011 acres

located generally at the southeast corner of Westgrove Drive and

Sojourn Drive

REQUEST: Approval of a replat

APPLICANT: Spiars Engineering, represented

by Mr. John Spiars


DISCUSSION:

<u>Background</u>. This replat covers the vacant lot at the southeast corner of Westgrove Drive and Sojourn Drive. This replat is necessary to accommodate the proposed Knight Renovation office and warehouse building. It records the necessary easements for utilities, access and drainage.

<u>Engineering Review</u>. The replat has been reviewed by Town staff and found to be in compliance with all requirements.

RECOMMENDATION: APPROVAL

Staff recommends approval of the proposed replat subject to no conditions.



OWNER'S CERTIFICATE

STATE OF TEXAS COUNTY OF DALLAS

WHEREAS Palmetto Corners II, Ltd., is the owner of a tract of land situated in the W. Lomax Survey, Abstract No. 792, City of Addison, Dallas County, Texas, the subject tract being all of Lot 2, Block A, Westgrove and Airborn Addition according to the plat recorded in Instrument No. 200900265546 of the Official Public Records, Dallas County, Texas (OPRDCT), with the subject tract being more particularly described as follows:

BEGINNING at an "X" found in concrete on the east line of Westgrove Drive, a variable width right—of—way, for the southwest corner of Lot 2 and for the northwest corner of Lot 1, Block A, Westgrove and Airborn Addition;

THENCE N $00^{\circ}37'36''$ W, 170.59 feet along the east line of Westgrove Drive to a 1/2'' iron rod with plastic cap found for the south end of a corner clip being the intersection of the east line of Westgrove Drive with the south line of Sojourn Drive, a variable width right-of-way;

THENCE N 44°26'05" E, 28.25 feet along said corner clip to a 1/2" iron rod with plastic cap found;

THENCE N 89°29'46" E, 442.18 feet along the south line of Sojourn Drive to an "X" found in concrete for the northeast corner of Lot 2, and being the northwest corner of Lot 1, Block A, Dallas Gymnastics Center, an addition recorded in Volume 98073, Page 25, Deed Records, Dallas County, Texas (DRDCT);

THENCE S $00^{\circ}30'14''$ E, 189.53 feet along the west line of Lot 1 to a 1/2'' iron rod found on the north line of a tract conveyed to Air Born, Inc., recorded in Volume 69216, Page 1560 DRDCT;

THENCE S 89°21'54" W, along the north line of said Air Born tract, passing at 15.62 feet the northwest corner thereof and the northeast corner of said Lot 1, Block A, Westgrove and Airborn Addition, and continuing along the north line thereof a total distance of 461.78 feet to the POINT OF BEGINNING with the subject tract containing 87,603 square feet or 2.011 acres of land.

NOW THEREFORE, KNOW ALL MEN BY THESE PRESENTS:

That SQUIRE PROPERTIES, LLC, ("Owner") does hereby adopt this plat designating the hereinabove property as WESTGROVE AND AIRBORN ADDITION, LOT 2R, BLOCK A, an addition to the Town of Addison, Texas, and subject to the conditions, restrictions and reservations stated hereinafter, owner dedicates to the public use forever the streets and alleys shown

The easement shown on this plat are hereby reserved for the purposes as indicated, including, but not limited to, the installation and maintenance of water, sanitary sewer, storm sewer, drainage, election, telephone, gas and cable television. Owner shall have the right to use these easements, provided, however, that it does not unreasonably interfere or impede with the provision of the services to others. Said utility easements are hereby being reserved by mutual use and accommodation of all public utilities using or desiring to use the same. An express easement of ingress and egress is hereby expressly granted on, over and across all such easements for the benefit of the provider of services for which

Any drainage and floodway easement shown hereon is hereby dedicated to the public's use forever, but including the following covenants with regards to maintenance responsibilities. The existing channels or creeks traversing the drainage and floodway easement will remain as an open channel, unless required to be enclosed by ordinance, at all times and shall be maintained by the individual owners of the lot or lots that are traversed by or adjacent to the drainage and floodway easement. The town will not be responsible for the maintenance and operation of said creek or creeks or for any damage or injury of private property or person that results from the flow of water along said creek, or for the control of erosion. No obstruction to the natural flow of water runoff shall be permitted by construction of any type building, fence or any other structure within the drainage and floodway easement. Provided, however, it is understood that in the event it becomes necessary for the town to channelize or consider erecting any type of drainage structure in order to improve the storm drainage, then in such event, the town shall have the right, but not the obligation, to enter upon the drainage and floodway easement at any point, or points, with all rights of ingress and egress to investigate, survey, erect, construct or maintain any drainage facility deemed necessary by the town for maintenance or efficiency of its respective system or

Water main and sanitary sewer easements shall also include additional area of working space for construction and maintenance of the systems. Additional easement area is also conveyed for installation and maintenance of manholes, cleanouts, fire hydrants, water service and sewer services from the main to curb or pavement line, and the descriptions of such additional easements herein granted shall be determined by their locations as installed.

This plat is approved subject to all platting ordinances, rules, regulations and resolutions of the Town of Addison, Texas.

ïtness our h	nands at Dallas County, Texas, this	day of	, 2017.
SQUIRE	PROPERTIES, LLC		
Ву:	Adam McKelvey		
Title:			

BEFORE ME, the undersigned, a Notary Public in and for The State of Texas, on this day personally appeared Adam McKelvey, known to me to be the person and officer whose name is subscribed to the foregoing instrument, and acknowledged to me that he executed the same for the purposes and considerations therein expressed and in the capacity

GIVEN UNDER MY HAND AND SEAL OF OFFICE this the _____ day of _______, 2017.

Notary Public, State of Texas

REPLAT

WESTGROVE AND AIRBORN

LOT 2R. BLOCK A BEING A REPLAT OF LOT 2, BLOCK A, WESTGROVE AND AIRBORN ADDITION 2.011 ACRES IN THE W. LOMAX SURVEY, ABSTRACT NO. 792

TOWN OF ADDISON, DALLAS COUNTY, TEXAS TOWN PROJECT NO. 16-12

OWNER / APPLICANT Squire Properties, LLC 901 Waterfall Way, Ste. 307 Richardson, TX 75080 Telephone (469) 330-7838 Contact: John DeTiberiis

ENGINEER / SURVEYOR Spiars Engineering, Inc. 765 Custer Road, Suite 100 Plano, TX 75075 Telephone: (972) 422-0077 TBPE No. F-2121 Contact: John Spiars

Planning & Zoning Commission

Meeting Date: 11/15/2016

Agenda Caption:

PUBLIC HEARING <u>Case 1747-SUP/Meso Maya</u>. Public hearing, discussion, and take action on a recommendation regarding an ordinance changing the zoning on property located at 5280 Belt Line Road, which property is currently zoned LR, Local Retail, by approving a new Special Use Permit for a restaurant and a new Special Use Permit for the sale of alcoholic beverages for on-premises consumption only, represented by Mr. Robert Kirk.

Attachments

1747-SUP P&Z Packet 1747-SUP Plans

1747-SUP

PUBLIC HEARING Case 1747-SUP/Meso Maya. Public hearing, discussion, and take action on a recommendation regarding an ordinance changing the zoning on property located at 5280 Belt Line Road, which property is currently zoned LR, Local Retail, by approving a new Special Use Permit for a restaurant and a new Special Use Permit for the sale of alcoholic beverages for on-premises consumption only.

LOCATION MAP





November 11, 2016

STAFF REPORT

RE: Case 1747-SUP/Meso Maya

LOCATION: 5280 Belt Line Road

REQUEST: Approval of a new Special Use Permit for a

restaurant and a new Special Use Permit for the sale of alcoholic beverages for on-premises

consumption only

APPLICANT: Mr. Robert Kirk

DISCUSSION:

<u>Background</u>: This is a 1.104 acre tract located at the southwest corner of Belt Line Road and Montfort Drive. The site is zoned Local Retail and was originally developed in 1979 as Don Miguel's Restaurant, but soon converted to El Fenix.

El Fenix is owned by the Firebird Restaurant Group. That group also owns Snuffer's, Taqueria La Ventana and an upscale Mexican food concept called Meso Maya. Meso Maya currently has three locations in the Dallas area. The owner is requesting the ability to convert the building from the El Fenix concept to the Meso Maya concept. Because of the changes to the floor plan and building elevations, this necessitates a new Special Use Permit for a restaurant and the sale of alcoholic beverages for on-premises consumption.

<u>Proposed Plan</u>: The plans call for the building footprint to stay the same. The building currently has two dining areas - one central area and another wrapping three sides of the main space. The proposed plan moves the restaurant's entrance to the northeast corner of the building and relocates the bar within the central dining room. Most of the peripheral dining area would be converted into a covered patio with glass roll-up doors. A small portion of the new patio would be used for a lounge area. The total proposing seating is 359.

<u>Facades</u>: The applicant is proposing changes to the exterior of the building. By relocating the entrance to the northeast corner, a new focal point is being created. The façade in this area will be new red brick. As mentioned above, the current glass windows along the north and west façades will be replaced with glass roll-up doors to allow for the new patio. The existing brick will be painted a taupe color and the wood trim will be painted gray. The Spanish tile roof would remain.

All façades exceed the 80% masonry requirement for the Local Retail district.

<u>Parking</u>: When a restaurant use was first approved for this site, it was granted a parking ratio of 1 space per 100 square feet. This is atypical of free standing restaurants, which generally require 1 space per 70 square feet. The reasoning behind this is unclear, but perhaps it was considered an extension of the Village on the Parkway retail center and granted the mixed-use ratio of 1 per 100. That being said, it would be impossible for the property to comply with 1 per 70 requirement today without a significant reduction in the size of the building. The square footage of the building is 8,746. By continuing with the 1 per 100 parking requirement, 88 parking spaces are required. This site plan shows that this is the number being provided.

<u>Landscaping</u>: Since this property was developed in the late 1970s, it is far below the current landscaping requirements. Additionally, the site only provides a three-foot sidewalk located immediately back of curb. Unfortunately, absent a complete redevelopment of this site it, would be impossible to comply with the current standards. Staff has worked with the applicant to maximize the amount of landscaping provided within the site without impacting other requirements such as parking.

The site is currently just under 8% landscape coverage. The proposed plan increases that slightly to just above 8% by adding two tree islands and increasing the amount of landscaping adjacent to the building. This is still below the 20% required. The plan also does not meet the twenty-foot street frontage standard or the requirement to provide five-foot sidewalks. These cannot be addressed without losing the row of parking along Belt Line and Montfort Drive. Instead, applicant has agreed to increase the plant material around the building in order to maximize the use of the space available. Staff believes that the proposed landscaping gets the property as close as possible to current requirements under the existing site configuration.

RECOMMENDATION: APPROVAL WITH A CONDITION

Meso Maya is a quality, growing restaurant concept and will be a good addition for the Town. The proposed plan will give the interior and exterior of the building an improved look. While the landscaping is well below requirements, the applicant is proposing to make minor improvements, where possible. Staff recommends approval subject to the following condition:

• The applicant shall not use any terms or graphic depictions that relate to alcoholic beverages in any exterior signage.

Land Use Analysis

Attributes of Success Matrix

Meso Maya, 5280 Belt Line Road

1747-SUP

Attribute	Comment	Score
Competitive	This is a busy corner for Addison. The improvements and the concept being proposed should keep this property competitive.	
Safe	The project will be safe.	
Functional	The site is functional.	
Visually Appealing	The building facades will be updated to create a more modern look. However, due to its age, the landscaping does not comply with current standards and the property can only provide minimal improvements.	
Supported with Amenities	The restaurant is clustered with other restaurant, retail and entertainment options.	
Environmentally Responsible	This use is a good re-use of an existing space.	
Walkable	The site provides sidewalks, however they are narrow and immediately back of curb.	
Overall Assessment	Meso Maya is a quality new concept that should do well in this location. As part of this transition, the building will receive much needed upgrades.	



MESO MAYA

JONES**BAKER**

1922 S AKARD ST DALLAS, TX 75215 {214}426-5600



PROJECT NO.: 1609B DRAWN BY:

REVISIONS:

GENERAL INFORMATION

GENERAL INFORMATION

PROJECT:

MESO MAYA 5280 BELT LINE ROAD ADDISON, TEXAS 75254

OWNER:

MESO MAYA II, LLC 2414 N AKARD ST., SUITE 500 DALLAS, TEXAS 75201 972-388-5421

CONTACT: TOM MOORES / JILL BOYD

PROJECT DESIGNER:
JONES BAKER
1922 S AKARD ST, SUITE A
DALLAS, TEXAS 75215

214-426-5600 CONTACT : WILLIAM BAKER

SHEET INDEX

COVER SHEET SH. 2 NOT USED

SH. 3 SITE PLAN SH. 4 LANDSCAPE PLANS REFER TO SHEETS L1.01 &L1.02

SH. 5 FLOOR PLAN

SH. 6 EXTERIOR N & W ELEVATIONS & MATERIALS CALCULATIONS SH. 7 EXTERIOR S & E ELEVATIONS & MATERIALS CALCULATIONS

24' Access Easement

FIRE LANE —

TYPICAL

(SHOWN HATCHED)

Volume 80143, Page 2308

12' Access Easement D-2


Volume 80143, Page 2308

BUILDING OVERHANG —

12' Access Easement B—3 Volume 80143, Page 2308

JONES**BAKER**

1922 S AKARD ST DALLAS, TX 75215 {214}426.5600 www.jonesbaker.com



PROXIMTY MAP

N.T.S.

BACK CURB
ALONG PROPERTY

DRIVE

MONTFORT

LIGHT POLE— STANDARD

- LIGHT POLE STANDARD

PARKING ANALYSIS 8,746 SQ.FT. 1 SPACE / 100 SQ. FT.

88 SPACES REQUIRED 88 SPACES PROVIDED

PROJECT NO	.: 1609B
DATE:	10/27/16
DRAWN BY :	MQ
SCALE: A	S NOTED
SQFT:	8,746

REVISIONS:

SITE PLAN

SCALE : 1/16" = 1'-0"

BELT LINE ROAD

3' CONCRETE WALK

100' DEDICATED PUBLIC R.O.W.

CONCRETE WALK (TYP)

91.3

5280 BELT LINE RD. SINGLE STORY BRICK & STUCCO

NEW PAVING —

PLANTER —

11.7

PLANTER

8,746 SQFT HEIGHT = 20.4'

78.8

PLANTER

OAKS NORTH-WEST NO. 3

PROPERTY LINE

TRASH PAD

Access Easement C-2

Volume 80143, Page 2308

GREASE TRAPS

PROPERTY LINE

POWER POLE-

270.60,


4

- 4'INLET

- POWER POLE

SITE PLAN

1922 S AK, ARD ST DALLAS, TX 75215 {214}426.5600 www.jonesbaker.com




PROJECT NO.: 1609B
DATE: 10/27/16
DRAWN BY: MQ
SCALE: AS NOTED
SQFT: 8,746

REVISIONS:


FLOOR PLAN PLAN

CT II - PRESTON WOOD PLACE /
OAK NORTH-WEST NO. 3
5280 BELT LINE ROAD
ON / DALLAS COUNTY, TEXAS 75254



NORTH ELEVATION

SCALE: 1/4" = 1'-0"



SH 6

JONESBAKER

1922 S AK/ARD ST DALLAS, TX 75215 {214}426-5600

www.jonesbaker.com

PROJECT NO.: 1609B

EXTERIOR ELEVATIONS

DRAWN BY:

SCALE:

REVISIONS:

PLACE

SQFT:

10/27/16

MQ

8,746

AS NOTED

SH. 6

SCALE : 1/4" = 1'-0"



JONESBAKER

1922 S AK ARD ST DALLAS, TX 75215 {214}426-5600 www.jonesbaker.com

PROJECT NO.: 1609B

DRAWN BY: MQ SCALE: AS NOTED

EXTERIOR ELEVATIONS


DATE:

SQFT:

REVISIONS:

10/27/16

8,746



BUILDING MA	<u>TERIALS — SOUTH ELEVA</u>	100 / 000
	MATERIAL SQ. FT.	MATERIAL PERCENTAGE
MASONRY	1,699 SQ. FT.	92 %
RED BRICK	_	-
PRE CAST STONE	30 SQ. FT.	2 %
WOOD	17 SQ. FT.	1 %
GLAZING	_	62
SPANISH TILE	72 SQ. FT	4 %
TOTAL SOUTH ELEVATION AREA SQ. FT.		1,846 SQ. FT
TOTAL SOUTH ELEVATION GLAZING A	O SQ. FT.	
TOTAL BUILDING FACADE	1,846 SQ. FT	
MASONRY / PRECAST STONE / SPA	1,829 SQ. FT	
RED BRICK 99% OF FACADE		6
WOOD 1% OF FACADE	17 SQ. FT.	


MASONRY REQUIREMENT CALCULATION		
	TOTAL SQ. FT.	
TOTAL BUILDING FACADE	7,473 SQ. FT.	
TOTAL BUILDING GLAZING	1,111 SQ. FT.	
TOTAL BUIDLING FACADE SUBJECT TO MASONRY REQUIREMENT	6,362 SQ. FT.	
100% OF FACADE SUBJECT TO MASONRY REQUIREMENT		
MASONRY / PRECAST STONE / EXISTING SPANISH TILE /	6,088 SQ. FT.	
RED BRICK	200 3.3	
95% OF FACADE SUBJECT TO MASONRY REQUIREMENT		
STUCCO CAP / WOOD	274 SQ. FT.	
5% OF FACADE SUBJECT TO MASONRY REQUIREMENT		

BORN BELT LINE NO. 1-----

FACADE PLAN NOTES: THIS FACADE PLAN IS FOR CONCEPTUAL PURPOSES ONLY. ALL BUILDING PLANS REQUIRE REVIEW AND APPROVAL BY DEVELOPMENT SERVICES ALL MECHANICAL UNITS SHALL BE SCREENED FROM PUBLIC VIEW AS REQUIRED BY THE ZONING ORDINANCE WHEN PERMITTED, EXPOSED UTILITY BOXES AND CONDUITS SHALL BE PAINTED TO MATCH THE BUILDING ALL SIGNAGE AREAS AND LOCATIONS ARE SUBJECT TO APPROVAL BY DEVELOPMENT SERVICES ROOD ACCESS SHALL BE PROVIDED INTENALLY, UNLESS OTHERWISE PERMITTED BY THE CHIEF BUILDING OFFICIAL

SOUTH ELEVATION

SCALE: 1/4" = 1'-0"




BUILDING MATERIA	<u>ALS — EAST ELEVATIO</u>	N
	MATERIAL SQ. FT.	MATERIAL PERCENTAGE
MASONRY	1,174 SQ. FT.	62 %
RED BRICK	410 SQ. FT.	21 %
PRE CAST STONE	25 SQ. FT.	1 %
WOOD	36 SQ. FT.	2 %
GLAZING	85 SQ. FT.	4 %
SPANISH TILE	197 SQ. FT	10 %
TOTAL EAST ELEVATION AREA SQ. FT.		1,927 SQ. F
TOTAL EAST ELEVATION GLAZING AREA		85 SQ. FT.
TOTAL BUILDING FACADE	1,842 SQ. F	
MASONRY / PRECAST STONE / SPANISH TILE /		1,806 SQ. F
RED BRICK 98% OF FACADE	59	***
STUCCO CAP / WOOD 2% OF FACADE		36 SQ. FT.

FACADE PLAN NOTES: THIS FACADE PLAN IS FOR CONCEPTUAL PURPOSES ONLY. ALL BUILDING PLANS REQUIRE REVIEW AND APPROVAL BY DEVELOPMENT SERVICES ALL MECHANICAL UNITS SHALL BE SCREENED FROM PUBLIC VIEW AS REQUIRED BY THE ZONING ORDINANCE ALL SIGNAGE AREAS AND LOCATIONS ARE SUBJECT TO APPROVAL BY DEVELOPMENT SERVICES ROOD ACCESS SHALL BE PROVIDED INTENALLY, UNLESS OTHERWISE PERMITTED BY THE CHIEF BUILDING OFFICIAL

WHEN PERMITTED, EXPOSED UTILITY BOXES AND CONDUITS SHALL BE PAINTED TO MATCH THE BUILDING

EAST ELEVATION

SCALE: 1/4" = 1'-0"



LANDSCAPE TABULATIONS for ADDISON, TEXAS SITE LANDSCAPE

1. 20% of the total site are to be landscaped Total Site Area: 47,790 s.f.

REQUIRED PROVIDED 4,124 (8%) including decomposed granite areas

1. A 20' landscape buffer is required 2. 1 shade tree, 4 inches in caliper is required per ever 30 linear feet of street frontage

LANDSCAPE BUFFER

Belt Line Road - 162.5 l.f. REQUIRED

PROVIDED 20' buffer 2' buffer 5 shade trees, 4" cal. 0 shade trees, 4" cal.

Monfort Drive - 272 l.f. REQUIRED 20' buffer

9 shade trees, 4" cal. 8 existing trees not on property PARKING LOT PERIMETER LANDSCAPE

PROVIDED

0' buffer

1. One 4" cal. Tree shall be provided for each 35 l.f. of perimeter and one shrub planted for every 3-3.5' on center. REQUIRED PROVIDED

0' buffer 15 shade trees, 4" cal. 8 existing trees not on property existing shrub hedge along 124 shrubs

PARKING LOT INTERIOR LANDSCAPE

1. 5% of the interior parking lot to be landscaped. 2. One shade tree for each 10 spaces.

Parking Spaces: 88 REQUIRED PROVIDED 1,463 (5%) 1587 (5%)

2 proposed shade trees, 4" cal.; 7 8 shade trees, 4" cal. existing trees

GENERAL LAWN NOTES

CONTAMINANTS.

INDICATED BY PLAN.

OFFSET JOINTS.

HYDROMULCH:

SATURATION.

DEVELOPMENT WHEN PLANTED.

THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING TOP SOIL AT THE CORRECT GRADES. CONTRACTOR TO FINE GRADE AREAS TO REACH FINAL CONTOURS AS SPECIFIED PER CIVIL PLANS. ALL CONTOURS SHOULD ACHIEVE POSITIVE DRAINAGE AWAY FROM BUILDINGS AND STRUCTURES. WATER SHOULD NOT BE ABLE TO POOL IN ANY AREAS UNLESS SPECIFIED

ANY LOSS OF TOPSOIL OR GRASS DUE TO EROSION IS THE RESPONSIBILITY

CONTRACTOR TO REMOVE ANY ROCKS 3/4" AND LARGER, STICKS AND DEBRIS

CONSTRUCTION RECEIVING SOD. IF TOPSOIL IS NOT AVAILABLE ON SITE, THE

CONTRACTOR SHALL PROVIDE TOPSOIL AS APPROVED BY THE OWNER OR

CONTRACTOR SHALL BE RESPONSIBLE FOR SOD UNTIL ACCEPTANCE. THIS

SHALL INCLUDE. BUT NOT BE LIMITED TO: MOWING. WATERING. WEEDING.

CULTIVATING, CLEANING AND REPLACING DEAD OR BARE AREAS TO KEEP

SOLID SOD:
SOLID SOD SHALL BE PLACED ALONG ALL IMPERVIOUS EDGES, AT A

MINIMUM. THIS SHALL INCLUDE CURBS. WALKS, INLETS, MANHOLES AND

PLANTING BED AREAS. SOD SHALL COVER OTHER AREAS COMPLETELY AS

SOD SHALL BE STRONGLY ROOTED DROUGHT RESISTANT SOD, NOT LESS

AND THATCH. PROVIDE ONLY SOD CAPABLE OF VIGOROUS GROWTH AND

DO NOT INSTALL SOD IF IT IS DORMANT OR GROUND IS FROZEN. LAY SOD

WITH TIGHTLY FITTING JOINTS, NO OVERLAPS WITH STAGGERED STRIPS TO

SOD SHALL BE ROLLED TO CREATE A SMOOTH EVEN SURFACE. SOD SHOULD

SHOULD INSTALLATION OCCUR BETWEEN OCTOBER 1ST AND MARCH 1ST, SOD SHALL INCLUDE AN OVER-SEED OF ANNUAL RYE OR WINTER RYEGRASS

AT A RATE OF FOUR POUNDS PER ONE THOUSAND SQUARE FEET FOR A

§115.D OF TITLE 7, PART XXIX, HORTICULTURE COMMISSION CHAPTER 1.

SCARIFY SURFACE TO A MINIMUM OF 2" DEPTH PRIOR TO THE IMPORT

TOPSOIL APPLICATION. TOP SOIL SHALL BE PLACED 2" IN DEPTH IN ALL

IMPORTED TOPSOIL HIGH IN HUMAS AND ORGANIC CONTENT FROM A

LOCAL SUPPLY. IMPORTED TOPSOIL SHALL BE REASONABLY FREE OF CLAY LUMPS, COARSE SANDS, STONES, ROOTS AND OTHER FOREIGN

ALL SEED SHALL BE HIGH QUALITY, TREATED LAWN TYPE SEED AND IS

HYDROMULCH WITH BERMUDA GRASS SEED AT A RATE OF TWO POUNDS

IF INSTALLATION OCCURS BETWEEN OCTOBER 1ST AND APRIL 1ST, ALL HYDORMULCH AREAS SHALL BE OVER-SEEDED WITH ANNUAL RYE GRASS

AFTER APPLICATION, NO EQUIPMENT SHALL OPERATE OVER APPLIED

AREAS. WATER SEEDED AREAS IMMEDIATELY AFTER INSTALLATION TO

FREE OF NOXIOUS GRASS SEEDS. THE SEED APPLICATION SHALL BE

AREAS TO BE SEEDED. CONTRACTOR TO SUPPLY HIGH QUALITY

IF INADEQUATE MOISTURE IS PRESENT IN SOIL, APPLY WATER AS

NECESSARY FOR OPTIMUM MOISTURE FOR SEED APPLICATION.

UNIFORMLY DISTRIBUTED ON THE AREAS INDICATED ON PLANS.

AT A RATE OF FOUR POUNDS PER ONE THOUSAND SQUARE FEET. CONTRACTOR TO RE-HYDROMULCH WITH BERMUDA GRASS AT THE END

ALL LAWN AREAS TO BE HYDROMULCHED SHALL ACHIEVE 100%

Scale 1"=20' - 0"

PER ONE THOUSAND SQUARE FEET.

OF THE ANNUAL RYE GROWING SEASON.

COVERAGE PRIOR TO FINAL ACCEPTANCE.

GROWN-IN APPEARANCE. CONTRACTOR SHALL ENSURE CONFORMANCE TO

BE WATERED THOROUGHLY DURING INSTALLATION PROCESS.

THAN 2 YEARS OLD, FREE OF WEEDS AND UNDESIRABLE NATIVE GRASS AND

MACHINE CUT TO PAD THICKNESS OF 3/4" (+1/4"), EXCLUDING TOP GROWTH

PLANTS IN A VIGOROUS, HEALTHY CONDITION. SOD SHALL BE REPLACED IF

TOPSOIL SHALL BE FRIABLE, NATURAL LOAM, FREE OF ROCKS, WEEDS,

BRUSH, CLAY LUMPS, ROOTS, TWIGS, LITTER AND ENVIRONMENTAL

FOUR (4") OF TOPSOIL SHALL BE APPLIED TO AREAS DISTURBED BY

BE USED WHERE NECESSARY TO PREVENT SOIL EROSION.

OF THE CONTRACTOR UNTIL IT IS 100% ESTABLISHED.

PRIOR TO INSTALLATION OF TOPSOIL AND SOD.

OTHERWISE. EROSION FABRIC SUCH AS JUTE MATTING OR OPEN WEAVE TO WOULD PROHIBIT THE INSTALLATION AS SHOWN.

CONTRACTOR SHALL CALL 811 TO VERIFY AND LOCATE ANY AND ALL UTILITIES ON SITE PRIOR TO COMMENCING WORK. LANDSCAPE ARCHITECT SHOULD BE

A MINIMUM OF 2% SLOPE SHALL BE PROVIDED AWAY FROM ALL STRUCTURES.

ALL PLANTING AREAS SHALL BE GRADED SMOOTH TO ACHIEVE FINAL CONTOURS AS INDICATED ON PLAN WITH 3" OF TOPSOIL AND 3" OF COMPOST AND CONSISTENTLY BLENDED TO A DEPTH OF 9". ALL BEDS SHALL BE

PLANTING AREAS AND SOD TO BE SEPARATED BY STEEL EDGING. EDGING TO BE GREEN IN COLOR AND A MINIMUM OF 3/16" THICK. EDGING SHALL BE STAKED FROM THE INSIDE OF BED. EDGING NOT TO BE MORE THAN 1/2" ABOVE

MULCH SHALL BE INSTALLED AT 1/2" BELOW THE TOPS OF SIDEWALKS AND

QUANTITIES ON THESE PLANS ARE FOR REFERENCE ONLY. THE SPACING OF PLANTS SHOULD BE AS INDICATED ON PLANS OR OTHERWISE NOTED. ALL

CONTAINER GROWN PLANT MATERIAL IS PREFERRED HOWEVER BALL AND BURLAP PLANT MATERIAL CAN BE SUBSTITUTED IF NEED BE AND IS APPROPRIATE TO THE SIZE AND QUALITY INDICATED ON THE PLANT MATERIAL

TREES SHALL BE PLANTED AT A MINIMUM OF 5' FROM ANY UTILITY LINE. SIDEWALK OR CURB. TREES SHALL ALSO BE 10' CLEAR FROM FIRE HYDRANTS.

4" OF SHREDDED HARDWOOD MULCH (2" SETTLED THICKNESS) SHALL BE WEED BARRIER FABRIC SHALL BE USED IN PLANT BEDS AND AROUND ALL SHALL BE SHREDDED BARK OR RUBBER LANDSCAPE MULCH, PINE STRAW

RESPONSIBLE FOR OBTAINING ALL LANDSCAPE AND IRRIGATION PERMITS.

ALL PLANTING BEDS SHALL HAVE AN AUTOMATIC IRRIGATION SYSTEM WITH A FREEZE/RAIN SENSOR. SYSTEM SHALL ALSO HAVE AN ET WEATHER BASED

MATERIAL IS ESTABLISHING PROPERLY AND REMAINS IN A HEALTHY REMOVED, PLANTS MUST BE REPLACED BY A SIMILAR VARIETY AND SIZE.

ALL LANDSCAPE AREAS SHOULD BE CLEANED AND KEPT FREE OF TRASH, DEBRIS, WEEDS AND OTHER MATERIAL.

STEEL EDGING SHALL BE 3/16" X 4 X 16' DARK GREEN DURAEDGE STEEL LANDSCAPE EDGING.

PLANT SCHEDULE QTY LABEL COMMON NAME SCIENTIFIC NAME SIZE NOTES **SHADE TREES** 2 SO Shumard Oak 14' ht., 5' spread Quercus shumardii 4'' cal. ORNAMENTAL TREES 6 CH Pink Dawn Chitalpa x Chitalpa tashkentensis 'Pink Dawn' 10 gal. SHRUBS Morning Light Miscanthus Miscanthus sinensis 'Morning Light' full, 20" spread, 36" o.c. 25 RY full, 24" sprd, 24" o.c. Red Yucca Hesperaloe parvifolia full, 30" o.c. 20 SY Yucca recurvifolia 40 TS full, 24" sprd, 30" o.c. Texas Sage 'Thundercloud' Leucophyllum frutescens 'Thundercloud' 17 WTA Whales Tongue Agave full plant, no broken spines Agave ovatifolia **GROUNDCOVER/VINES/GRASS** full, 24" o.c. Blue Spruce Sedum Sedum reflexum 4" pots

Plant list is an aid to bidders only. Contractor shall verify all quantities on plan. All heights and spreads are minimums. Trees shall have a strong central leader and be of matching specimens. All plant material shall meet or exceed remarks as indicated.

LANDSCAPE NOTES

REFERENCE SITEWORK AND SPECIFICATIONS FOR INFORMATION NEEDED FOR

CONTRACTOR TO VERIFY AND LOCATE ALL PROPOSED AND EXISTING STRUCTURES. NOTIFY LANDSCAPE ARCHITECT OR DESIGNATED REPRESENTATIVE FOR ANY LAYOUT DISCREPANCIES OR ANY CONDITION THAT

NOTIFIED OF ANY CONFLICTS.

LANDSCAPE ISLANDS SHALL BE CROWNED, AND UNIFORM THROUGHOUT THE

CROWNED TO ANTICIPATE SETTLEMENT AND ENSURE PROPER DRAINAGE.

FINISHED GRADE.

TREES AND SHRUBS SHALL BE PLANTED PER DETAILS.

PLACED OVER 4.1 OZ WOVEN, WEED BARRIER FABRIC OR APPROVED EQUAL. TREES AND SHALL BE DE WITT 'WEED BARRIER' OR APPROVED EQUAL. MULCH MULCH IS PROHIBITED.

CONTRACTOR TO PROVIDE UNIT PRICING OF LANDSCAPE MATERIALS AND BE

IN THE ABSENCE OF AN IRRIGATION SYSTEM OR AREAS BEYOND THE COVERAGE LIMITS OF A PERMANENT IRRIGATION SYSTEM, CONTRACTOR SHALL WATER SOD TEMPORARILY, BY ANY MEANS AVAILABLE, TO DEVELOP ADEQUATE GROWTH. TURF SHALL BE IN 100% ESTABLISHMENT AT THE TIME OF ACCEPTANCE.

CONTROLLER AND BE DESIGNED AND INSTALLED BY A LICENSED IRRIGATOR.

MAINTENANCE REQUIREMENTS:
VEGETATION SHOULD BE INSPECTED REGULARLY TO ENSURE THAT PLANT GROWING CONDITION APPROPRIATE FOR THE SEASON. IF DAMAGED OR

MOWING, TRIMMING, EDGING AND SUPERVISION OF WATER APPLICATIONS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR UNTIL THE OWNER OR OWNER'S REPRESENTATIVE ACCEPTS AND ASSUMES REGULAR MAINTENANCE

MISCELLANEOUS MATERIALS:

PLAN GRAPHIC SCALE



JONES**BAKE**R

1922 SAKARD ST **DALLAS, TX 75215** {214}426.5600 www.jonesbaker.com



PROJECT NO.: XXX

DRAWN BY:

REVISIONS:

SCALE:

9/20/16

AWR

8,746

AS NOTED

L1.01

PART 1 - GENERAL

- 1.1 QUALIFICATIONS OF THE LANDSCAPE CONTRACTOR.
- A. ALL LANDSCAPE WORK SHOWN ON THESE PLANS SHALL BE PERFORMED BY A SINGLE FIRM SPECIALIZING IN LANDSCAPE PLANTING

1.2 REFERENCE DOCUMENTS

A. REFER TO LANDSCAPE PLANS, NOTES, AND DETAILS FOR ADDITIONAL REQUIREMENTS

1.3 SCOPE OF WORK / DESCRIPTION OF WORK

- A. WORK COVERED BY THESE SECTIONS INCLUDES THE FURNISHING AND PAYMENT OF ALL MATERIALS, LABOR, SERVICES, EQUIPMENT LICENSES, TAXES AND ANY OTHER ITEMS THAT ARE NECESSARY FOR THE EXECUTION, INSTALLATION AND COMPLETION OF ALL WORK, SPECIFIED HEREIN AND / OR SHOWN ON THE LANDSCAPE PLANS, NOTES, AND DETAILS.
- B. ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH ALL APPLICABLE LAWS, CODES AND REGULATIONS REQUIRED BY AUTHORITIES HAVING JURISDICTION OVER SUCH WORK, INCLUDING ALL INSPECTIONS AND PERMITS REQUIRED BY FEDERAL, STATE AND LOCAL AUTHORITIES IN SUPPLY, TRANSPORTATION AND
- INSTALLATION OF MATERIALS. THE LANDSCAPE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL UNDERGROUND UTILITY LINES (WATER, SEWER, ELECTRICAL, TELEPHONE, GAS, CABLE, TELEVISION, ETC.) PRIOR TO THE START OF
- ANY WORK D. FURNISH ALL LABOR, MATERIALS, EQUIPMENT, AND SERVICES NECESSARY TO PROVIDE ALL WORK, COMPLETE IN PLACE AS SHOWN AND SPECIFIED. WORK SHOULD INCLUDE:
- E. PLANTING OF TREES, SHRUBS AND GRASSES
- A. SEEDING B. BED PREPARATION AND FERTILIZATION
- C. WATER AND MAINTENANCE UNTIL FINAL ACCEPTANCE

D. WORK GUARANTEE 1.4 REFERENCES

- A. AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI) Z60.1 NURSERY
- B. TEXAS STATE DEPARTMENT OF AGRICULTURE
- C. TEXAS ASSOCIATION OF NURSERYMEN, GRADES AND STANDARDS 1.5 SUBMITTALS
- A PROVIDE REPRESENTATIVE QUANTITIES OF EACH SOIL MUICH BED MIX. GRAVEL AND STONE BEFORE INSTALLATION. SAMPLES TO BE
- APPROVED BY OWNER'S REPRESENTATIVE BEFORE USE. B. SOIL AMENDMENTS AND FERTILIZERS SHOULD BE RESEARCHED AND
- BASED ON THE SOILS IN THE AREA. C. BEFORE INSTALLATION. SUBMIT DOCUMENTATION THAT PLANT MATERIALS ARE AVAILABLE AND HAVE BEEN RESERVED. FOR ANY PLANT MATERIAL NOT AVAILABLE, SUBMIT REQUEST FOR

1.6 JOB CONDITIONS, DELIVERY, STORAGE AND HANDLING

- A. GENERAL CONTRACTOR TO COMPLETE WORK BEFORE LANDSCAPE CONTRACTOR TO COMMENCE. ALL PLANTING BED AREAS SHALL BE LEFT THREE INCHES BELOW FINAL GRADE OF SIDEWALKS, DRIVES AND CURBS. ALL AREAS TO RECEIVE SOLID SOD SHALL BE LEFT ONE INCH BELOW THE FINAL GRADE OF WALKS, DRIVES AND CURBS, CONSTRUCTION DEBRIS SHALL BE REMOVED PRIOR TO LANDSCAPE CONTRACTOR BEGINNING WORK.
- B. ALL PACKAGED MATERIALS SHALL BE SEALED IN CONTAINERS SHOWING WEIGHT, ANALYSIS AND NAME OF MANUFACTURER. ALL MATERIALS SHALL BE PROTECTED FROM DETERIORATION IN TRANSIT AND WHILE STORED ON SITE.
- C. DELIVER PLANT MATERIALS IMMEDIATELY PRIOR TO INSTALLATION. PLANT MATERIALS SHOULD BE INSTALLED ON THE SAME DAY AS DELIVERED. IF PLANTING CANNOT BE INSTALLED ON THE SAME DAY, PROVIDE ADDITIONAL PROTECTION TO MAINTAIN PLANTS IN A

- HEALTHY, VIGOROUS CONDITION. D. STORE PLANT MATERIALS IN SHADE, PROTECT FROM FREEZING AND
- E. KEEP PLANT MATERIALS MOIST AND PROTECT FROM DAMAGE TO
- ROOT BALLS, TRUNKS AND BRANCHES. F. PROTECT ROOT BALLS BY HEELING WITH SAWDUST OR OTHER MOISTURE RETAINING MATERIAL IF NOT PLANTED WITHIN 24 HOURS
- G. NOTIFY OWNER'S REPRESENTATIVE OF DELIVERY SCHEDULE 72 HOURS IN ADVANCE.
- H. FOR BALLED AND BURLAPPED PLANTS DIG AND PREPARE SHIPMENT IN A MANNER THAT WILL NOT DAMAGE ROOTS, BRANCHES, SHAPE, AND FUTURE DEVELOPMENT.

CONTAINER GROWN PLANTS - DELIVER PLANTS IN CONTAINER TO

HOLD BALL SHAPE AND PROTECT ROOT MASS. J. STORAGE OF ALL MATERIALS AND EQUIPMENT WILL BE AT THE RISK OF THE LANDSCAPE CONTRACTOR. OWNER WILL NOT BE HELD RESPONSIBLE FOR THEFT OR DAMAGE.

A. INSTALL TREES, SHRUBS, AND LINER STOCK PLANT MATERIALS PRIOR

- TO INSTALLATION OF LAWN/SOLID SOD. B. WHERE EXISTING TURF AREAS ARE BEING CONVERTED TO PLANTING BEDS. THE TURF SHALL BE CHEMICALLY ERADICATED TO MINIMIZE RE-GROWTH IN THE FUTURE. AREAS SHALL BE PROPERLY PREPARED WITH AMENDED ORGANIC MATTER.
- 1.8 WARRANTIES PERIOD, PLANT GUARANTEE, REPLACEMENTS
- A. PROVIDE A MINIMUM OF (2) COPIES OF RECORD DRAWINGS TO THE OWNER UPON COMPLETION OF WORK. A RECORD DRAWING IS A RECORD OF ALL CHANGES THAT OCCURRED IN THE FIELD AND THAT ARE DOCUMENTED THROUGH CHANGE ORDERS, ADDENDA, OR CONTRACTOR/CONSULTANT DRAWING MARKUPS.
- B. FURNISH WRITTEN WARRANTY THAT PLANT MATERIALS WILL BE IN A HEALTHY, VIGOROUS GROWING CONDITION FOR ONE YEAR (TWELVE MONTHS) AFTER FINAL ACCEPTANCE. DAMAGE DUE TO ACTS OF GOD, VANDALISM, OR NEGLIGENCE BY OWNER IS EXCLUDED.
- C. REPLACE DEAD LINHEALTHY AND LINSIGHTLY PLANT MATERIAL WITHIN WARRANTY PERIOD UPON NOTIFICATION BY OWNER OR OWNER'S REPRESENTATIVE. PLANTS USED FOR REPLACEMENT SHALL BE OF THE SAME SIZE AND KIND AS THOSE ORIGINALLY PLANTED OR
- D. THE OWNER AGREES THAT FOR THE ONE YEAR WARRANTY PERIOD TO BE EFFECTIVE, HE WILL WATER PLANTS AT LEAST TWICE A WEEK
- DURING DRY PERIODS. E. NOTIFY OWNER OR OWNER'S REPRESENTATIVE SEVEN DAYS PRIOR TO THE EXPIRATION OF THE WARRANTY PERIOD.
- A. REMOVE DEAD, UNHEALTHY AND UNSIGHTLY PLANTS
- B. REMOVE GUYING AND STAKING MATERIALS.

1.9 MAINTENANCE

- A. MAINTAIN PLANT LIFE AND PLANTING BEDS IMMEDIATELY AFTER PLACEMENT AND FOR MINIMUM 30 DAYS AFTER FINAL ACCEPTANCE.
- B. ALL LANDSCAPE MUST BE MAINTAINED AND GRASS MOWED/EDGED ON A WEEKLY SCHEDULE UNTIL ACCEPTANCE BY OWNER.
- C. REPLACE DEAD OR DYING PLANTS WITH PLANTS OF SAME SIZE AND SPECIES AS SPECIFIED. D. REMOVE TRASH, DEBRIS, AND LITTER. WATER, PRUNE, RESTAKE TREES, FERTILIZE, WEED AND APPLY HERBICIDES AND FUNGICIDES
- E. REMOVE CLIPPINGS AND DEBRIS FROM SITE PROMPTLY.
- F. COORDINATE WITH OPERATION OF IRRIGATION SYSTEM TO ENSURE THAT PLANTS ARE ADEQUATELY WATERED. HAND WATER AREAS NOT RECEIVING ADEQUATE WATER FROM AN IRRIGATION SYSTEM.
- G. THE LANDSCAPE CONTRACTOR SHALL MAINTAIN THE IRRIGATION SYSTEM IN ACCORDANCE TO THE MAINTENANCE SERVICE TO ENSURE THE SYSTEM IS IN PROPER WORKING ORDER WITH SCHEDULING ADJUSTMENTS BY SEASON TO MAXIMIZE WATER CONSERVATION
- H. RESET SETTLED PLANTS

REAPPLY MULCH TO BARE AND THIN AREAS.

- J. SHOULD SEEDED AND/OR SODDED AREAS NOT BE COVERED BY AN AUTOMATIC IRRIGATION SYSTEM, THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR WATERING THESE AREAS AND OBTAINING A FULL, HEALTHY STAND OF GRASS AT NO ADDITIONAL COST TO THE OWNER.
- K. TO ACHIEVE FINAL ACCEPTANCE AT THE END OF THE MAINTENANCE PERIOD, ALL OF THE FOLLOWING CONDITIONS MUST OCCUR: a. THE LANDSCAPE SHALL SHOW ACTIVE. HEALTHY GROWTH (WITH EXCEPTIONS MADE FOR SEASONAL DORMANCY). ALL PLANTS NOT MEETING THIS CONDITION SHALL BE REJECTED AND REPLACED BY HEALTHY PLANT MATERIAL PRIOR TO
 - FINAL ACCEPTANCE. b. ALL HARDSCAPE SHALL BE CLEANED PRIOR TO FINAL ACCEPTANCE.
 - c. SODDED AREAS MUST BE ACTIVELY GROWING AND MUST REACH A MINIMUM HEIGHT OF 1 1/2 INCHES BEFORE FIRST MOWING. HYDROMULCHED AREAS SHALL SHOW ACTIVE, HEALTHY GROWTH. BARE AREAS LARGER THAN TWELVE SQUARE INCHES MUST BE RESODDED OR RESEEDED (AS APPROPRIATE) PRIOR TO FINAL ACCEPTANCE. ALL SODDED TURF SHALL BE NEATLY MOWED.

1.10 QUALITY ASSURANCE

- A. COMPLY WITH ALL FEDERAL, STATE, COUNTY AND LOCAL
- REGULATIONS GOVERNING LANDSCAPE MATERIALS AND WORK. B. EMPLOY PERSONNEL EXPERIENCED AND FAMILIAR WITH THE REQUIRED WORK AND SUPERVISION BY A FOREMAN. C. DO NOT MAKE PLANT MATERIAL SUBSTITUTIONS. IF THE LANDSCAPE

MATERIAL SPECIFIED IS NOT READILY AVAILABLE. SUBMIT PROOF TO

TO BE UNSATISFACTORY OR DEFECTIVE DURING THE WORK

PROCESS. ALL PLANTS DAMAGED IN TRANSIT OR AT THE JOB SITE

LANDSCAPE ARCHITECT ALONG WITH THE PROPOSED MATERIAL TO BE USED IN LIEU OF THE SPECIFIED PLANT D. OWNER'S REPRESENTATIVE SHALL INSPECT ALL PLANT MATERIAL AND RETAINS THE RIGHT TO INSPECT MATERIALS UPON ARRIVAL TO THE SITE AND DURING INSTALLATION. THE OWNER'S REPRESENTATIVE MAY ALSO REJECT ANY MATERIALS HE/SHE FEELS

PART 2 - PRODUCTS

SHALL BE REJECTED.

- 2.1 PLANT MATERIALS A. ALL PLANTS SHALL BE CERTIFIED IN ACCORDANCE THE AMERICAN STANDARD FOR NURSERY STOCK.
- B. ALL TREES SHALL BE OBTAINED FROM SOURCES WITHIN 200 MILES OF THE PROJECT SITE, AND WITH SIMILAR CLIMACTIC CONDITIONS. C. PLANTS SHALL CONFORM TO THE MEASUREMENTS SPECIFIED,
- EXCEPT THE PLANTS LARGER THAN THOSE SPECIFIED MAY BE USED. USE OF LARGER PLANTS SHALL NOT INCREASE THE CONTRACT D. WHERE MATERIALS ARE PLANTED IN MASSES, PROVIDE PLANTS OF
- E. PLANT SCHEDULE ON DRAWING IS FOR CONTRACTOR'S INFORMATION ONLY AND NO GUARANTEE IS EXPRESSED OR IMPLIED THAT QUANTITIES THEREIN ARE CORRECT. THE CONTRACTOR SHALL ENSURE THAT ALL PLANT MATERIALS SHOWN ON THE DRAWINGS ARE
- INCLUDED IN HIS OR HER BID. F. SHALL BE FREE OF DISEASE, INSECT INFESTATION, DEFECTS INCLUDING WEAK OR BROKEN LIMBS, CROTCHES, AND DAMAGED TRUNKS. ROOTS OR LEAVES. SUN SCALD. FRESH BARK ABRASIONS. EXCESSIVE ABRASIONS, OBJECTIONABLE DISFIGUREMENT, INSECT
- EGGS AND LARVAE. G. ALL PLANTS SHALL EXHIBIT NORMAL GROWTH HABITS, VIGOROUS, HEALTHY, FULL, WELL BRANCHES, WELL ROOTED, PROPORTIONATE AND SYMMETRICAL
- H. ROOT SYSTEMS SHALL BE HEALTHY, DENSELY BRANCHED, FIBROUS ROOT SYSTEMS, NON-POT-BOUND, FREE FROM ENCIRCLING AND/OR GIRDLING ROOTS, AND FREE FROM ANY OTHER ROOT DEFECTS (SUCH AS J-SHAPED ROOTS).
- I. ANY PLANT DEEMED UNACCEPTABLE BY THE LANDSCAPE ARCHITECT OR OWNER'S REPRESENTATIVE SHALL BE IMMEDIATELY REMOVED

- FROM THE SITE AND SHALL BE REPLACED WITH AN ACCEPTABLE PLANT OF LIKE TYPE AND SIZE AT THE CONTRACTOR'S OWN EXPENSE ANY PLANTS APPEARING TO BE UNHEALTHY, EVEN IF DETERMINED TO STILL BE ALIVE, SHALL NOT BE ACCEPTED. THE LANDSCAPE ARCHITECT AND OWNER'S REPRESENTATIVE SHALL BE THE SOLE JUDGES AS TO THE ACCEPTABILITY OF PLANT MATERIAL
- J. ALL TREES SHALL BE STANDARD IN FORM, UNLESS OTHERWISE SPECIFIED. TREES WITH CENTRAL LEADERS WILL NOT BE ACCEPTED IF LEADER IS DAMAGED OR REMOVED. PRUNE ALL DAMAGED TWIGS AFTER PLANTING
- K. TREE TRUNKS TO BE STURDY, EXHIBIT HARDENED SYSTEMS AND VIGOROUS AND FIBROUS ROOT SYSTEMS, NOT ROOT OR POT BOUND. L. TREES WITH DAMAGED OR CROOKED LEADERS, BARK ABRASIONS SUNSCALD, DISFIGURING KNOTS, OR\INSECT DAMAGE WILL BE
- M. CALIPER MEASUREMENTS FOR STANDARD (SINGLE TRUNK) TREES SHALL BE AS FOLLOWS: SIX INCHES ABOVE THE ROOT FLARE FOR TREES UP TO AND INCLUDING FOUR INCHES IN CALIPER. AND TWELVE INCHES ABOVE THE ROOT FLARE FOR TREES EXCEEDING FOUR INCHES IN CALIPER
- N. MULTI-TRUNK TREES SHALL BE MEASURED BY THEIR OVERALL HEIGHT, MEASURED FROM THE TOP OF THE ROOT BALL.
- O. ANY TREE OR SHRUB SHOWN TO HAVE EXCESS SOIL PLACED ON TOP OF THE ROOT BALL, SO THAT THE ROOT FLARE HAS BEEN COMPLETELY COVERED, SHALL BE REJECTED.
- P. SOD: PROVIDE WELL-ROOTED SOD OF THE VARIETY NOTED ON THE PLANS. SOD SHALL BE CUT FROM HEALTHY, MATURE TURF WITH SOIL THICKNESS OF 3/4" TO 1". EACH PALLET OF SOD SHALL BE ACCOMPANIED BY A CERTIFICATE FROM SUPPLIER STATING THE COMPOSITION OF THE SOD.

2.2 ACCESSORIES/MISCELLANEOUS MATERIALS

- A. MULCH DOUBLE SHREDDED HARDWOOD MULCH, PARTIALLY DECOMPOSED BY LIVING FARTH TECHNOLOGIES OR APPROVED. SUBSTITUTE. MULCH SHOULD BE FREE OF STICKS, STONES, CLAY, **GROWTH AND GERMINATION INHIBITING INGREDIENTS**
- B. FERTILIZER COMMERCIAL FERTILIZER CONTAINING 10-20-10 OR SIMILAR ANALYSIS.
- C. SOIL PREPARATION SHALL BE FERTILE, LOAMY SOIL. ORGANIC MATTER SHALL ENCOMPASS BETWEEN 3% AND 10% OF THE TOTAL DRY WEIGHT. SOIL SHALL BE FREE FROM SUBSOIL, REFUSE, ROOTS HEAVY OR STIFF CLAY, STONES LARGER THAN 1", NOXIOUS WEEDS STICKS, BRUSH, LITTER AND OTHER SUBSTANCES. IT SHOULD BE SUITABLE FOR THE GERMINATION OF SEEDS AND THE SUPPORT OF VEGETATIVE GROWTH. THE PH VALUE SHOULD BE BETWEEN 4 AND 7. APPROXIMATE PARTICLE DISTRIBUTION FOR TOPSOIL

CLAY BETWEEN 15% AND 25%

BETWEEN 15% AND 25% SAND LESS THAN 50%

GRAVEL LESS THAN 10%

- D. EXISTING TOPSOIL MAY BE USED IF IT MEETS THE REQUIREMENTS FOR THE IMPORTED TOPSOIL OR IF APPROVED BY THE LANDSCAPE ARCHITECT OR OWNER'S REPRESENTATIVE. TOPSOIL SHALL NOT BE STRIPPED, TRANSPORTED OR GRADED IF MOISTURE CONTENT EXCEEDS FIELD CAPACITY. TOPSOIL STOCKPILES SHALL BE PROTECTED FROM EROSION OR CONTAMINATION.
- E. ALL NEW TURF AREAS LOCATED ON THE FRONT, SIDES, REAR, AND INSIDE THE FIRE LANE SHALL BE SODDED AND SHALL BE AMENDED WITH QUALITY TOPSOIL AT A MINIMUM DEPTH OF FOUR INCHES.
- F. STEEL EDGING SHALL BE 3/16" X 4" X 16" DARK GREEN LANDSCAPE EDGING. G. TREE STAKING - TREE STAKING SOLUTIONS OR APPROVED
- SUBSTITUTE; REFER TO DETAILS.
- H. FILTER FABRIC MIRAFI 1405 BY MIRAFI INC. OR APPROVED
- I. SAND UNIFORMLY GRADED, WASHED, CLEAN, BANK RUN SAND. J. DECOMPOSED GRANITE - BASE MATERIAL OF NATURAL MATERIAL MIX

- OF GRANITE AGGREGATE NOT TO EXCEED 1/8" IN DIAMETER.
- K. RIVER ROCK LOCALLY AVAILABLE RIVER ROCK BETWEEN 2"-4" IN
- L. PRE-EMERGENT HERBICIDES: ANY GRANULAR, NON-STAINING PRE-EMERGENT HERBICIDE THAT IS LABELED FOR THE SPECIFIC ORNAMENTALS OR TURF ON WHICH IT WILL BE UTILIZED. PRE-EMERGENT HERBICIDES SHALL BE APPLIED PER THE MANUFACTURER'S LABELED RATES.

PART 3 - EXECUTION

3.1 PREPARATION

- A. BEFORE STARTING WORK, THE LANDSCAPE CONTRACTOR SHALL VERIFY THAT THE GRADE OF ALL LANDSCAPE AREAS ARE WITHIN +/-0.1' OF FINISH GRADE. THE CONTRACTOR SHALL NOTIFY THE OWNER IMMEDIATELY SHOULD ANY DISCREPANCIES EXIST.
- B. SOIL TESTING: A. AFTER FINISH GRADES HAVE BEEN ESTABLISHED, CONTRACTOR
- SHALL HAVE SOIL SAMPLES TESTED BY AN ESTABLISHED SOIL TESTING LABORATORY FOR THE FOLLOWING: SOIL TEXTURAL CLASS, GENERAL SOIL FERTILITY, PH. ORGANIC MATTER CONTENT, SALT (CEC), LIME, SODIUM ADSORPTION RATIO (SAR) AND BORON CONTENT. EACH SAMPLE SUBMITTED SHALL CONTAIN NO LESS THAN ONE QUART OF SOIL.
- B. CONTRACTOR SHALL ALSO SUBMIT THE PROJECT'S PLANT LIST TO
- THE LABORATORY ALONG WITH THE SOIL SAMPLES. C. THE SOIL REPORT PRODUCED BY THE LABORATORY SHALL CONTAIN RECOMMENDATIONS FOR THE FOLLOWING (AS APPROPRIATE) GENERAL SOIL PREPARATION AND BACKFILL MIXES, PRE-PLANT FERTILIZER APPLICATIONS, AND ANY OTHER SOIL RELATED ISSUES. THE REPORT SHALL ALSO PROVIDE A FERTILIZER PROGRAM FOR THE ESTABLISHMENT PERIOD AND FOR LONG-TERM MAINTENANCE.
- C. THE CONTRACTOR SHALL INSTALL SOIL AMENDMENTS AND FERTILIZERS PER THE SOILS REPORT RECOMMENDATIONS. ANY CHANGE IN COST DUE TO THE SOIL REPORT RECOMMENDATIONS, EITHER INCREASE OR DECREASE, SHALL BE SUBMITTED TO THE OWNER WITH THE REPORT
- D. IF WEEDS ARE GROWING IN PLANTING AREAS, APPLY HERBICIDE RECOMMENDED BY MANUFACTURER AND APPLIED BY AN APPROVED LICENSED APPLICATOR. ALLOW WEEDS TO DIE, AND THEN GRUB OUT
- ROOTS TO A MINIMUM OF 1/2 INCH DEPTH. E. PREPARE NEW PLANTING BEDS BY TILLING EXISTING SOIL TO A DEPTH OF SIX INCHES PRIOR TO PLACING COMPOST AND FERTILIZER. ADD SIX INCHES OF COMPOSE AND TILL INTO A DEPTH OF SIX INCHES OF
- THE TOPSOIL F. POSITION TREES AND SHRUBS AS DESIGNED ON PLAN. OBTAIN OWNER'S REPRESENTATIVE'S APPROVAL PRIOR TO PROCEEDING.
- G. ALL PLANTING AREAS SHALL RECEIVE A MINIMUM OF 2 INCH LAYER OF MULCH (SETTLED THICKNESS).

3.2 EXCAVATING

- A. EXCAVATE PITS FOR PLANTING. TREE PITS SHALL BE LARGE ENOUGH TO PERMIT THE HANDLING OF THE ROOT BALL WITHOUT DAMAGE TO THE ROOTS. TREES SHALL BE PLANTED AT A DEPTH THAT WHEN SETTLED, THE CROWN OF THE PLANT SHALL BEAR THE SAME RELATIONSHIP TO THE FINISH GRADE AS IT DID TO THE SOIL SURFACE IN ORIGINAL PLACE OF GROWTH
- B. TREE PITS PERCOLATION TEST: FILL PIT WITH WATER AND ALLOW TO STAND FOR 24 HOURS. IF PIT DOES NOT DRAIN, THE TREE NEEDS TO BE MOVED TO ANOTHER LOCATION OR HAVE DRAINAGE ADDED.
- SHRUB AND TREE PITS SHALL BE NO LESS THAN 24" WIDER THAN THE ROOT BALL AND 6" DEEPER THAN ITS VERTICAL DIMENSION. HOLES SHOULD BE ROUGH, NOT SMOOTH OR GLAZED.

3.3 PLANTING

A. REMOVE NURSERY TAGS AND STAKES FROM ALL PLANTS

STEEL EDGING DETAIL

- REMOVE SIDES AFTER PLACEMENT AND PARTIAL BACKFILLING. D. REMOVE UPPER THIRD OF BURLAP FROM BALLED AND BURLAPPED TREES AFTER PLACEMENT.

- PLANTS FOR BEST APPEARANCE.
- F. SET PLANTS WITH TOP OF ROOT BALLS FLUSH WITH ADJACENT GRADE AFTER COMPACTION. ADJUST PLANT HEIGHT IF SETTLEMENT OCCURS AFTER BACKFILLING.
- G. BACKFILL HOLES IMMEDIATELY AFTER PLANT IS PLACED USING BACKFILL MIX. BACKFILL TO ONE HALF DEPTH, FILL HOLE WITH WATER AND LIGHTLY TAMP SOIL TO REMOVE VOIDS AND AIR
- BRACE PLANTS OVER 65 GALLONS IN SIZE. MULCH TO THE TOP OF THE ROOT BALL. DO NOT PLANT GRASS ALL THE WAY TO TRUNK OF THE TREE. MULCH WITH AT LEAST 2" OF SPECIFIED MULCH.

H. TRIM PLANTS TO REMOVE DEAD AND INJURED BRANCHES ONLY.

- J. DO NOT WRAP TREES.
- K. DO NOT OVER PRUNE. BLOCKS OF SOD SHOULD BE LAID JOINT TO JOINT AFTER FERTILIZING THE GROUND FIRST. ROLL GRASS AREAS TO ACHIEVE A SMOOTH, EVEN SURFACE. THE JOINTS BETWEEN BLOCKS SHOULD BE FILLED WITH TOPSOIL AND THEN WATERED THOROUGHLY.

3.4 STEEL EDGING

3.5 CLEANUP

- A. STEEL EDGING SHALL BE INSTALLED AND ALIGNED AS INDICATED ON PLANS. OWNER'S REPRESENTATIVE TO APPROVE THE STAKED OR PAINTED LOCATION OF STEEL EDGE PRIOR TO INSTALLATION
- B. ALL STEEL EDGING SHALL BE FREE OF BENDS OR KINKS. C. TOP OF EDGING SHALL BE 1/2" MAXIMUM HEIGHT ABOVE FINAL
- FINISHED GRADE. D. STAKES ARE TO BE INSTALLED ON THE PLANTING BED SIDE OF THE
- EDGING, NOT THE GRASS SIDE. E. STEEL EDGING SHALL NOT BE INSTALLED ALONG SIDEWALKS OR

F. EDGING SHOULD BE CUT AT A 45 DEGREE ANGLE WHERE IT MEETS SIDEWALKS OR CURBS.

- A. REMOVE CONTAINERS, TRASH, RUBBISH AND EXCESS SOILS FROM SITE AS WORK PROGRESSES.
- B. REPAIR RUTS, HOLES AND SCARES IN GROUND SURFACES. C. PREMISES SHALL BE KEPT NEAT AT ALL TIMES AND ORGANIZED.

D. ALL PAVED AREAS SHOULD BE CLEANED AT THE END OF EACH WORK

- 3.6 ACCEPTANCE
- A. ENSURE THAT WORK IS COMPLETE AND PLANT MATERIALS ARE IN VIGOROUS AND HEALTHY GROWING CONDITION.

B. UPON COMPLETION OF THE WORK, THE LANDSCAPE CONTRACTOR

SHALL PROVIDE THE SITE CLEAN, FREE OF DEBRIS AND TRASH, AND

SUITABLE FOR USE AS INTENDED. THE LANDSCAPE CONTRACTOR

- SHALL THEN REQUEST AN INSPECTION BY THE OWNER TO DETERMINE FINAL ACCEPTABILITY. C. WHEN/IF THE INSPECTED PLANTING WORK DOES NOT COMPLY WITH
- THE CONTRACT DOCUMENTS, THE LANDSCAPE CONTRACTOR SHALL REPLACE AND/OR REPAIR THE REJECTED WORK TO THE OWNER'S SATISFACTION WITHIN 24 HOURS. D. THE LANDSCAPE MAINTENANCE PERIOD WILL NOT COMMENCE UNTIL
- THE LANDSCAPE WORK HAS BEEN RE-INSPECTED BY THE OWNER AND FOUND TO BE ACCEPTABLE. AT THAT TIME. A WRITTEN NOTICE OF FINAL ACCEPTANCE WILL BE ISSUED BY THE OWNER, AND THE MAINTENANCE AND GUARANTEE PERIODS WILL COMMENCE.

SHRUBS AND GROUNDCOVER

PREPARED SOIL MIX PER SPECIFICATIONS

MULCH PER SPECIFICATIONS

REFER TO PLANS FOR PLANT TYPES

3/16" X 4" X 16" STEEL EDGING WITH

NOTE: NO STEEL EDGING

TO BE INSTALLED ALONG

SIDEWALKS

- B. REMOVE CONTAINERS WITHOUT DAMAGE TO ROOTS.
- C. REMOVE BOTTOM OF PLANT BOXES PRIOR TO PLACING PLANTS.
- E. PLACE PLANT UPRIGHT AND PLUMB IN CENTER OF HOLE. ORIENT

PROJECT NO.: XXX 9/20/16 DRAWN BY: AWR

AS NOTED

8,746

SCALE:

JONESB**4KE**R

1922 SAKARD ST

{214}426.5600


DALLAS, TX 75215


www.jonesbaker.com

REVISIONS

LANDSCAPE









MAX. 2" ABOVE GRADE

TREE PLANTING





SHRUB SPACING AND PLANTING AT B.O.C.

SPECS AND DETAILS

L1.02